

Date: Friday, 11/17/2006 9:07:56 AM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: SADDLE FITTING, FWD (OUTBOARD/INBOARD)
Job Number	: 29511		
Estimate Number	: 10531		
P.O. Number	: N/A	Part Number	: D2572
This Issue	: 11/17/2006	S.O. No.	: N/A
Prsht Rev.	: NC	Drawing Number	: D2572 REV E
First Issue	: N/A	Project Number	: N/A
Previous Run	: 29160	Drawing Revision	: E
		Material	: N/A
Written By	: <u> </u>	Due Date	: 12/5/2006
Checked & Approved By	: <u> </u>	Qty:	16
Comment	: Est: 1 02.10.02 Re-format; Change to Dwg Rev. D & incorporated D2572KJ		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	D6101005	7075-T7351 8.25X5.0X2.5
-----	----------	-------------------------



Comment: Qty.: 1.0000 Each(s)/Unit Total: 16.0000 Each(s)
 7075-T7351 8.25X5.0X2.5
 Make from D6101-005 billet for D2572
 Ensure that grain is along 5.00" length
 Batch No: B25351

2.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1
 Program Batch No. 29510 Double check by: SD

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets
 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
 4-Deburr and remove all machining marks
 5-Tumble to remove shap edges.

3.0	MILLING CONV.	CONVENTIONAL MILLING MACHINE
-----	---------------	------------------------------



Comment: CONVENTIONAL MILLING MACHINE
 Machine keyway as per dwg D2571 & D2572

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: LC Date: 06/12/22
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Friday, 11/17/2006 9:07:56 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SADDLE FITTING, FWD (OUTBOARD/INBOARD)

Job Number: 29511

Part Number: D2572

Job Number:



Seq. #:

Machine Or Operation:

Description :

4.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

SD / Paul / En 06/11/28 (16)

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

J.L. 06/12/10 16

6.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

a.m

06/12/18

(16x)

7.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

a.m

06/12/21

(16x)

8.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

06/12/21 (16)

9.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: 51357

CB

06/12/21 (16)

06/12/21 (16)

(16)

10.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

06/12/22

Job Completion



06/12/22

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	29511
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.438	0.443	DT8682	0.440	0.439	0.440	0.440		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		7.997	7.999	7.997	7.997		
F	0.490	0.510		0.495	0.503	0.504	0.504		
G	0.257	0.262	DT8683	0.258	0.258	0.258	0.258		
H	0.375	0.380	DT8684	0.376	0.376	0.377	0.376		
I	0.490	0.510		0.500	0.500	0.498	0.499		
J	1.174	1.184		1.178	1.178	1.178	1.178		
K	0.558	0.578		0.568	0.569	0.569	0.569		
L	1.174	1.184		1.179	1.178	1.178	1.178		
M	1.490	1.500		1.495	1.494	1.495	1.496		
N	2.495	2.505		2.500	2.498	2.500	2.500		
O	3.869	3.879		3.877	3.873	3.875	3.873		
P	0.115	0.135		0.126	0.126	0.126	0.127		
Q	0.115	0.135		0.134	0.135	0.135	0.135		
R	0.240	0.260		0.256	0.250	0.250	0.251		
S	0.115	0.135		0.130	0.132	0.131	0.130		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.955	2.960	2.960	2.960		
V	0.230	0.250		0.238	0.239	0.241	0.240		
W	0.115	0.135		0.125	0.120	0.126	0.129		
X	0.307	0.312		0.311	0.311	0.310	0.310		
Y	0.760	0.765		0.761	0.761	0.766	0.766		
Z	0.352	0.372		0.364	0.366	0.364	0.365		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.627	0.629	0.630	0.630		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.252	0.246	0.249	0.248		
AE	1.375	1.395		1.385	1.380	1.382	1.380		
AF	0.115	0.135		0.133	0.135	0.135	0.135		
AG	0.240	0.280		0.245	0.260	0.260	0.260		
AH	0.240	0.260		0.253	0.248	0.250	0.248		
AI	2.000	2.020							
AJ	0.023	0.043		0.030	0.030	0.030	0.030		
Accept/Reject									

Measured by:	SD / JML
Date:	06/11/27

Audited by:	J.L
Date:	06/12/10

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	29511
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.438	0.443	DT8682	0.439	0.439	0.439	0.446		
B	1.745	1.755		1.750	1.749	1.749	1.756		
C	3.495	3.505		3.506	3.506	3.506	3.506		
D	1.745	1.755		1.750	1.750	1.748	1.750		
E	7.990	8.010		7.996	7.998	7.998	7.998		
F	0.490	0.510		0.502	0.498	0.500	0.500		
G	0.257	0.262	DT8688	0.258	0.258	0.258	0.258		
H	0.375	0.380	DT8687	0.376	0.376	0.377	0.377		
I	0.490	0.510		0.498	0.498	0.500	0.498		
J	1.174	1.184		1.179	1.178	1.179	1.178		
K	0.558	0.578		0.568	0.569	0.568	0.565		
L	1.174	1.184		1.179	1.179	1.179	1.178		
M	1.490	1.500		1.495	1.495	1.495	1.494		
N	2.495	2.505		2.500	2.499	2.500	2.500		
O	3.869	3.879		3.872	3.872	3.872	3.873		
P	0.115	0.135		0.126	0.126	0.126	0.127		
Q	0.115	0.135		0.135	0.135	0.135	0.135		
R	0.240	0.260		0.250	0.250	0.251	0.251		
S	0.115	0.135		0.133	0.133	0.129	0.132		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.961	2.960	2.960	2.961		
V	0.230	0.250		0.246	0.246	0.246	0.242		
W	0.115	0.135		0.125	0.126	0.133	0.135		
X	0.307	0.312		0.316	0.310	0.310	0.316		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.364	0.365	0.364	0.366		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.629	0.629	0.630	0.630		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.247	0.246	0.246	0.248		
AE	1.375	1.395		1.380	1.381	1.387	1.384		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.260	0.257	0.265	0.260		
AH	0.240	0.260		0.249	0.248	0.249	0.249		
AI	2.000	2.020							
AJ	0.023	0.043		0.030	0.030	0.030	0.030		
Accept/Reject									

Measured by:	<i>[Signature]</i>
Date:	06/11/27

Audited by:	J.L.
Date:	06/12/10

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	<i>[Signature]</i>

DART AEROSPACE LTD	Work Order:	29511
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443	DT8682	.439	.439	.435	.440		
B	1.745	1.755		1.750	1.750	1.750	1.748		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.748		
E	7.990	8.010		7.999	8.000	8.000	8.001		
F	0.490	0.510		.500	.500	.500	0.499		
G	0.257	0.262	DT8683	.258	.258	.258	0.255		
H	0.375	0.380	DT8684	.376	.376	.376	0.377		
I	0.490	0.510		.498	.498	.498	0.496		
J	1.174	1.184		1.179	1.179	1.179	1.176		
K	0.558	0.578		.567	.567	.568	0.566		
L	1.174	1.184		1.179	1.179	1.179	1.176		
M	1.490	1.500		1.495	1.495	1.495	1.492		
N	2.495	2.505		2.500	2.500	2.500	2.499		
O	3.869	3.879		3.874	3.874	3.874	3.872		
P	0.115	0.135		.126	.125	.126	0.126		
Q	0.115	0.135		.135	.135	.135	0.135		
R	0.240	0.260		.250	.250	.251	0.249		
S	0.115	0.135		.130	.130	.130	0.129		
T	0.178	0.198		.188	.188	.188	.188		
U	2.940	2.980		2.960	2.960	2.960	2.960		
V	0.230	0.250		.246	.240	.241	0.241		
W	0.115	0.135		.130	.129	.127	0.122		
X	0.307	0.312		.311	.311	.311	0.311		
Y	0.760	0.765		.761	.761	.761	0.765		
Z	0.352	0.372		.364	.364	.364	0.362		
AA	0.470	0.530		.500	.500	.500	0.500		
AB	0.615	0.635		.629	.628	.629	0.629		
AC	0.053	0.073		.063	.063	.063	0.063		
AD	0.240	0.260		.248	.248	.248	0.245		
AE	1.375	1.395		1.384	1.384	1.385	1.385		
AF	0.115	0.135		.134	.134	.134	0.135		
AG	0.240	0.280		.250	.250	.250	0.260		
AH	0.240	0.260		.247	.247	.248	0.251		
AI	2.000	2.020							
AJ	0.023	0.043		.033	.033	.033	0.030		
Accept/Reject									

Measured by:	SD / En
Date:	06.11.28 / 06/11/29

Audited by:	JL
Date:	06/12/10

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	29511
Description: Saddle, Fwd Inboard	Part Number:	D2572
Inspection Dwg: D2572 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2572 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	1	2	3	4		
A	0.438	0.443	DT8682	0.440	0.440	0.440	0.440		
B	1.745	1.755		1.748	1.747	1.752	1.747		
C	3.495	3.505		3.497	3.499	3.502	3.500		
D	1.745	1.755		1.748	1.747	1.752	1.747		
E	7.990	8.010		8.002	8.000	8.003	8.002		
F	0.490	0.510		0.502	0.498	0.500	0.500		
G	0.257	0.262	DT8683	0.259	0.259	0.259	0.259		
H	0.375	0.380	DT8684	0.377	0.377	0.377	0.377		
I	0.490	0.510		0.495	0.494	0.494	0.497		
J	1.174	1.184		1.175	1.176	1.175	1.178		
K	0.558	0.578		0.563	0.563	0.565	0.568		
L	1.174	1.184		1.175	1.176	1.175	1.178		
M	1.490	1.500		1.494	1.492	1.494	1.493		
N	2.495	2.505		2.499	2.498	2.494	2.498		
O	3.869	3.879		3.872	3.871	3.872	3.872		
P	0.115	0.135		0.126	0.126	0.126	0.127		
Q	0.115	0.135		0.135	0.135	0.135	0.135		
R	0.240	0.260		0.251	0.250	0.249	0.250		
S	0.115	0.135		0.131	0.131	0.130	0.130		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	2.940	2.980		2.960	2.961	2.960	2.960		
V	0.230	0.250		0.239	0.237	0.241	0.240		
W	0.115	0.135		0.126	0.130	0.126	0.127		
X	0.307	0.312		0.311	0.310	0.311	0.311		
Y	0.760	0.765		0.765	0.765	0.765	0.765		
Z	0.352	0.372		0.367	0.364	0.365	0.365		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.628	0.628	0.628	0.626		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.249	0.246	0.249	0.246		
AE	1.375	1.395		1.385	1.385	1.384	1.385		
AF	0.115	0.135		0.135	0.135	0.135	0.135		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.248	0.248	0.249	0.248		
AI	2.000	2.020							
AJ	0.023	0.043		0.030	0.030	0.030	0.030		
Accept/Reject									

Measured by: <i>SD</i>	Audited by: <i>J.L</i>
Date: <i>06.11.28</i>	Date: <i>06/12/10</i>

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.09.24	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
	05.05.05	Added dimension AI	KJ/RF	
	2.05	Added dimension AJ	KJ/JLM	

RELEASED


05.12.06

NOTES

MATERIAL: 7075-T7351 (QQ-A-250/12)
 (REF DART SPEC. D6102-003)
 FINISH: ACID ETCH, ALODINE PER DART QSI 005 4.1
 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER
 DART QSI 005 4.3
 BREAK ALL SHARP EDGES 0.010 TO 0.020
 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 1 ENGRAVE PART AND BATCH NUMBER IN THIS AREA TO MAX DEPTH OF 0.010
 2 CHAMFER 0.063" x 45° AROUND THIS SURFACE (TYPICAL 2 PLACES)
 3 CHAMFER 0.063 x 45° ALL AROUND
 4 CHAMFER 0.033 x 45° (SEE DETAIL C) E

VIEW B-B





E	05.07.13	ADD CHAMFER ON RIDGE NOTE 4
D	02.09.06	ADD RIDGES; TIGHTEN TOLERANCES
C	99.10.22	INCORP. DEO 9123/9079/9102 ADD DIMENSIONS PER TSR A1177
B	96.12.02	ADD GRAIN DIR., 0.438 WAS 0.425
A	96.09.16	NEW ISSUE


DESIGN	DS	DRAWN BY	PH	DART	DART AEROSPACE LTD. WARRICKSURY, OXFORD, CANADA
CHECKED	#	APPROVED	#	DRAWING NO.	D2572
DATE	05.07.13	TITLE	INNER FWD SADDLE		
					REV. E SHEET 1 OF 1 SCALE 2:3

COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL
 AND IS SUPPLIED ON THE EXPRESS CONDITION
 THAT IT IS NOT TO BE USED FOR ANY PURPOSE
 OR COPIED OR COMMUNICATED TO ANY OTHER
 PERSON WITHOUT WRITTEN PERMISSION FROM
 DART AEROSPACE LTD.



SECTION A-A

DETAIL C
SCALE 2:1

SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 29511